

BASEBALL DIAMOND V UP



GRAĐEVINSKA KACIGA OBLIKA BASEBALL KAPE +VEZICOM ISPOD BRADE - SUSTAV PODEŠAVANJE ŠIRINE ROTOR
Kat. br. DIAMOND5UP



Karakteristike proizvoda

Građevinska kaciga od ABS-a, inovacijski dizajn. Testirana za nošenje s prednje i stražnje strane. Poliamidne unutarnje trake : 3 tekstilne trake s 8 točki pričvršćenja. Znojnik za čelo. Inovacijski sustav podešavanje širine Rotor : opseg glave od 53 do 63 cm. 2 moguća položaja opsega glave (gornji/donji) radi veće udobnosti. Reflektirajuća traka. Električna izolacija do 1000 VAC / 1500 VCC. Prodaje se s vezicom ispod brade s 4 točke pričvršćenja.

Učinkovitost na -30°C, norma EN397:2012 primjenjuje se od lotova proizvodnje 03/2016.

BOJA

Bijela, Plava, Žuta, Narančasta, Crvena, Zelena

VELIČINA

Podesiva

Uporabe proizvoda - Rizici



Toplina



Električni rizici



Šok



Građevina



Teška industrija



Nafta / Plin

Prednosti proizvoda - Prednosti za korisnika



Ergonomski sustav podešavanje širine One-D Rotor

Podešavanje jednom rukom s rukavicama ili bez njih



Reflektirajuća traka

Za veću vidljivost na radnom mjestu



Unutarnji dio od poliamida: 3 tekstilne trake sa 8 točaka pričvršćenja

Zajamčena udobnost korisnika

DELTA INNOVATION

Certifikati - Norme



UREDBA (EZ) 2016/425

EN397:2012 + A1:2012 Građevinska kaciga

MM: Prskanja rastaljenog metala

LD: Lateralne deformacije

-30°C +50°C: Upotreba: Vrlo niske temperature - -30°C / +50°C

440VAC: Električna izolacija



EN50365:2002 Električno izolirane kacige za upotrebu na instalacijama niske napetosti

KLASA 0: Kacige s električnom izolacijom - razred 0

Kat. brojevi

Kat. brojevi	Bar kod	BOJA	VELIČINA		
DIAM5UPBCFL	3295249194116	Bijela	Podesiva	20	-
DIAM5UPBLFL	3295249194130	Plava	Podesiva	20	-
DIAM5UPJAFL	3295249194147	Žuta	Podesiva	20	-
DIAM5UPORFL	3295249236991	Narančasta	Podesiva	20	-
DIAM5UPROFL	3295249194123	Crvena	Podesiva	20	-
DIAM5UPVEFL	3295249218409	Zelena	Podesiva	20	-