



SERIES BLS 4000 ne>>t

REUSABLE HALF MASKS WITH BAYONET CONNECTION


Half masks respirators BLS 4000 ne>>t are available with silicone or thermoplastic facepiece. Used in combination with twin bayonet filters with quick **b-lock** connection they protect from toxic gases&vapours and particles.



NEW DROP-OFF SYSTEM

- Front shield with a quick hooking/unhooking system and sliding elastics, allowing to wear off and lower the mask, in an easy and quick way, without having to remove the headpiece.
- New thinner and lighter headpiece, with quick adjustment (3 sizes).
- Excellent compatibility with other PPEs, such as glasses and helmets.
- New hooks with faster and more intuitive locking system.
- Easy inspection and cleaning, thanks to the fast opening of the frontal shield.

DROP-OFF PROCEDURE



NEW FACEPIECE, 25% LIGHTER


The reduction of the facepiece thickness allows a 25% reduction in the weight of the half-mask, which is among the lightest on the market. It is available with soft thermoplastic rubber (4000 ne>>t R) or silicone (4000 ne>>t S) and in two sizes (S/M and M/L) allowing a perfect fit for every type of face.

b-lock BAYONET CONNECTION

This connection is very intuitive and allows a quick and secure connection to the mask. It has closing feedback that allows the user to understand if the filter has been correctly positioned. The double filter offers better weight distribution on the mask and a wider visual field.

EASY TO CLEAN / DECONTAMINATE

It can be disassembled and reassembled in less than a minute, making cleaning and maintenance operations easier.



SERIES BLS 4000 ne>>t

REUSABLE HALF MASKS WITH BAYONET CONNECTION

MATERIALS

| | |
|---------------------------|-------------------------------|
| FACE PIECE 4000 ne>>t R | Thermoplastic elastomer (TPE) |
| FACE PIECE 4000 ne>>t S | Silicone |
| VALVES AND FILTERS HOLDER | Polyamide (PA) |
| EXHALATION VALVE | Silicone |
| HARNESS HOLDER | Polyamide (PA) |
| HARNESS | Polyester and coated rubber |
| HEADPIECE | Polypropylene (PP) |

All components in direct contact with user's face are LATEX FREE

STORAGE

| | |
|-------------------|------------------------------------|
| SHELF-LIFE | 10 years / 5 years (thermoplastic) |
| TEMPERATURE | -10° / +50° C |
| RELATIVE HUMIDITY | < 80% |

TECHNICAL DATA

| MODEL | FACE PIECE | CONNECTION | NPF (particulate and combined filter) | NPF (gas filter) |
|--------------|---------------|------------------|---------------------------------------|------------------|
| 4000 ne>>t S | Silicone | Bayonet (b-lock) | 12*TLV (P2) 48*TLV (P3) | 50*TLV |
| 4000 ne>>t R | Thermoplastic | Bayonet (b-lock) | 12*TLV (P2) 48*TLV (P3) | 50*TLV |

(TLV) Threshold Limit Value (NPF) Nominal Protection Factor

TRANSPORT

| MODEL | SIZE | CODE | WEIGHT (g) | Q.TY / BOX | Q.TY / CARTON |
|--------------|------|---------|------------|------------|---------------|
| 4000 ne>>t R | S/M | 8002111 | 96 | 1 | 8 |
| 4000 ne>>t R | M/L | 8002112 | 102 | 1 | 8 |
| 4000 ne>>t S | S/M | 8002113 | 109 | 1 | 8 |
| 4000 ne>>t S | M/L | 8002114 | 114 | 1 | 8 |

CERTIFICATION

BLS respirators are:

- certified according with the Regulation (EU) 2016/425 (Personal Protective Equipments)
- certified as PPE of III category, in presumption of conformity to harmonized standard EN 140:1998
- certified and controlled according to Annex D by Italcert S.r.l. (Notified Body n° 0426)
- CE marked

BLS management system is ISO 9001:2015 certified



SERIES BLS 4000 ne>>t

REUSABLE HALF MASKS WITH BAYONET CONNECTION

COMPATIBLE DEVICES



Filters
SERIE BLS 200



Flat filters
SERIE BLS 201

DEVICES WITH THE SAME CONNECTION



Full face masks
BLS 5700 - BLS 5600

PREMOUNTED READY TO USE KIT

| CODE | KIT | SIZE | FILTERS | PROTECTION | DESCRIPTION |
|--|------------------|------|-------------------|------------|---|
| 4000 ne>>t S (SILICONE) + TWIN FILTERS 200 | | | | | |
| 8002115 | BLS 4100 ne>>t S | S/M | BLS 211 + BLS 301 | A2P2 NR | Organic gases and vapors (bp > 65 °C) + particles |
| 8002117 | BLS 4400 ne>>t S | S/M | BLS 222 | ABEK1P3 R | Organic / inorganic / acid / gases and vapors + ammonia + particles |
| 8002119 | BLS 4500 ne>>t S | S/M | BLS 202 | P3 R | Particles |
| 8002120 | BLS 4600 ne>>t S | S/M | BLS 221 | A2P3 R | Organic gases and vapors (bp > 65 °C) + particles |
| 4000 ne>>t R (THERMOPLASTIC) + TWIN FILTERS 200 | | | | | |
| 8002121 | BLS 4100 ne>>t R | S/M | BLS 211 + BLS 301 | A2P2 NR | Organic gases and vapors (bp > 65 °C) + particles |

TRANSPORT

| ARTICLE | FACEPIECE | CODE | WEIGHT (g) | Q.TY / BOX | Q.TY / CARTON | |
|--------------|-----------|---------------|------------|------------|---------------|---|
| 4100 ne>>t S | S/M | Silicone | 8002115 | 377 | 1 | 8 |
| 4400 ne>>t S | S/M | Silicone | 8002117 | 489 | 1 | 8 |
| 4500 ne>>t S | S/M | Silicone | 8002119 | 323 | 1 | 8 |
| 4600 ne>>t S | S/M | Silicone | 8002120 | 453 | 1 | 8 |
| 4100 ne>>t R | S/M | Thermoplastic | 8002121 | 364 | 1 | 8 |

IMPORTANT

BLS declines any responsibility, direct or indirect, from any misuse of both devices and instructions.
User is responsible for the determination of product compliance with the intended use.